



LITHIUM

Code : 20687

Type : produit

Attribute set : BLOUSON / VESTE / PONCHOS / ENSEMBLE

Article > Product

Description

Name	LITHIUM
Reference	2228
Article designation	RISK E2 - LITHIUM Veste

Classification

Typology	MULTI-RISK CLOTHING
Range	BASIC RANGE
Main profession	INDUSTRY
Season	All Seasons
Brand	LMA WORKWEAR
Gender	MAN
Release status	IN STOCK
Model	JACKET / JACKET / PONCHOS

Article > Product sheet

Style

Basic cut	MICA 2087
Tint	solid
Colour	Grey
Shade	Stone Grey
Open Size	S-XXXL

Features

Matter	Majority Cotton
Main composition	79% cotton 20% polyester 1% antistatic carbon
Main fabric weave	satin
Fabric specificities	antistatic component

	flame retardant fabric treated against liquid chemicals
Weight	260 g/m ²

Finishes

Topstitching	double tone on tone
Stopping points	contrasting red
Piping	red on the front paw
Product specifications	2 detector door flanges protection against liquid chemicals ATEX zone
Branding	left sleeve transfer ATEX zone transfer

Pockets

Number of pockets	4
Right chest pocket	plated closed by flap and hidden metal hollow snap
Inside right chest pocket	plated
Low pocket	plated closed by flap and hidden metal hollow snap

Attributs

Collar	Rising contrasting interior
Main Zip	hollow metal pressures under paw
Sleeves	long
Sleeve cuffs	semi elasticated
Lower body	elastic on the sides

Article > Marketing

Text

Short text	Multi-risk jacket – RISK E2
Marketing Summary	This ATEX E2 certified multi-risk jacket provides optimal protection in multi-hazard environments. Specifically developed for ATEX zones, it effectively defends you against liquid chemicals, molten metal splashes, heat, and flames. Thanks to its flame-retardant and antistatic fabric, it addresses major industrial hazards and allows you to work safely in the most demanding conditions.
Web Technical Details	Composition: Satin 79% cotton 20% polyester 1% antistatic - 260g/m ² Multi-risk: Specially designed for ATEX zones, this jacket offers simultaneous protection against five major hazards: it protects against heat and flames (EN ISO 11612:2015, E2), spatter during welding and related techniques (EN ISO 11611:2015), liquid chemicals (EN 1304:2005+A1:2009 Type 6), sparks due to electrostatic charges (EN 1149-5:2018), and thermal hazards from electric arcs (EN 61482-2:2020). Adjustable and comfortable: The semi-elasticated cuffs allow for a customized fit to minimize soiling. The elasticated waist adds further comfort. Functional: Its numerous pockets make daily organization easy: 1 chest pocket with a flap closure, hook-and-loop fastener, and concealed metal snap; 1 right interior chest pocket; and 2 lower pockets with flap closures and concealed metal snap fasteners. It also features a dedicated pocket for your fall detector. A clever detail: Its high collar protects you from wind and cold. Two loops allow you to slip your detector through them. The closure is covered with a flap and hook-and-loop fastener, protecting sensitive surfaces.

Article > Standards and Approvals

Standards

Oeko-tex Standard 100	No
PPE certifications	EN 1149-5 EN 13034 + A1 EN ISO 11612 EN ISO 11611 EN 61482-2 EN ISO 13688 + A1
PPE protection category	3 - Fatal Risk
PPE performance class	1 - protection contre les risques faibles (projection et chaleur faible)
PPE Performance Index	A1 B1 C1 D0 E2 F1
Maintenance tips	wash and iron inside out Ré imprégnation à chaque lavage No re-retardant treatment allowed

Article > Commerce and logistics

Logistics

Quantity per sales unit	1
Conditioning	1

VARIANTS

CODE	LABEL
2228SGRIS	
2228MGRIS	
2228LGRIS	
2228XLGRIS	
22282XLGRIS	
22283XLGRIS	