



ATOMIQUE

Code : 20695

Type : produit

Attribute set : COMBINAISON

Article > Product

Description

Name	ATOMIQUE
Reference	4148
Article designation	RISK E3 VA PG - ATOMIQUE Combinaison

Classification

Typology	MULTI-RISK CLOTHING
Range	PRACTICAL RANGE
Main profession	INDUSTRY
Season	All Seasons
Brand	LMA WORKWEAR
Gender	MAN
Release status	IN STOCK
Model	Coverall

Article > Product sheet

Style

Basic cut	GYPSE 4063
Length inseam	75 - 80cm
Magic hem	+ 5 cm
Tint	bicolor
Colour	Blue Black
Shade	Navy / Black
Open Size	T 2-T 8

Features

Matter	Majority Cotton
--------	-----------------

Main composition	74% cotton 25% polyester 1% antistatic carbon
Main fabric weave	serge
Fabric specificities	antistatic component flame retardant fabric treated against liquid chemicals
Weight	320 g/m²
Secondary composition	100% cotton
Secondary fabric weave	serge

Finishes

Yoke	contrasting on the knees on the shoulders
Topstitching	triple tone on tone
Stopping points	red contrasting
Reflective tape	full sewn 5 cm full sewn 2 cm
Piping	red on the front paw on the pocket flap(s)
Product specifications	2 detector door flanges ATEX zone contrasting interior collar and cuffs zero metal
Branding	left sleeve transfer ATEX zone transfer

Belt

Belt features	elasticated waistband on the side and back
---------------	--

Pockets

Number of pockets	5
Front pocket (symmetrical)	Italian with flap
Left thigh pocket	plated closed with flap and hidden plastic snap button
Kneepad pocket	1 position
Right chest pocket	plated closed with flap and hidden plastic snap button
Inside left chest pocket	plated

Attributs

Collar	Rising
Main Zip	hidden plastic tab and snap button
Sleeve cuffs	semi elasticated
Back	2 ease pleats

Article > Marketing

— — —

Text

Short text	Multi-risk coverall with enhanced visibility and knee pad pockets – RISK E3 VA PG – Zero metal
Marketing Summary	This RISK E3 VA PG certified multi-risk coverall offers complete protection in multi-hazard environments. Compliant with EN17353, its retroreflective strips enhance your visibility during the day and in low-light conditions. Designed for ATEX zones, it effectively protects you from liquid chemicals. Certified to EN11612, it protects you against heat and flames, and guarantees E3 level protection – the highest – against molten metal splashes. Its flame-retardant and antistatic fabric ensures your safety against major industrial hazards, including electrical hazards, allowing you to work with peace of mind in the most demanding conditions. Finally, its EN 14404+A1 compliant knee pad pockets effectively protect your knees when working on the ground.
Web Technical Details	Composition: 74% cotton, 25% polyester, 1% antistatic carbon twill - 320 g/m² Multi-risk: Specially designed for ATEX zones, this coverall offers simultaneous protection against five major hazards: it protects you against heat and flames (EN ISO 11612:2015, E3), spatter during welding and related techniques (EN ISO 11611:2015), liquid chemicals (EN 1304:2005+A1:2009 Type 6), sparks due to electrostatic charges (EN 1149-5:2018), and thermal hazards from electric arcs (EN 61482-2:2020). Enhanced visibility: Certified to EN ISO 17353:2020, its retroreflective strips increase your visibility in low-light conditions. Adjustable and comfortable: The semi-elasticated cuffs allow for a customized fit to minimize soiling. The elasticated waist at the sides and back adds further comfort. Functional: Its numerous pockets facilitate daily organization: 1 right chest pocket with a flap and concealed plastic snap, 1 left inner chest pocket, 2 Italian hand pockets, and 1 left thigh pocket with a flap and concealed plastic snap. Metal-free: Designed without metal, this coverall guarantees increased safety in situations where there is a risk of electrical damage. Clever detail: Its stand-up collar and flap closure with concealed plastic snaps ensure complete protection against the many hazards of everyday life. Two loops on the front allow you to attach your detector. The adjustable hem can lengthen the leg by 2 inches, adapting to your height.

Article > Standards and Approvals

Standards

Oeko-tex Standard 100	No
PPE certifications	EN 1149-5 EN 13034 + A1 EN 14404 + A1 EN 61482-2 EN ISO 11611 EN ISO 11612 EN 17353 EN ISO 13688 + A1
PPE protection category	3 - Fatal Risk
PPE performance level	0
PPE performance class	1 - protection contre les risques faibles (projection et chaleur faible)
PPE Performance Index	A1 B1 C1 D0 E3 F1
Type of PPE protection	B3
Number of washes	5

Maintenance tips

wash and iron inside out
Ré imprégnation à chaque lavage
No re-retardant treatment allowed

Article > Commerce and logistics**Logistics**

Quantity per sales unit	1
Conditioning	1

VARIANTS

CODE	LABEL
41488MARIN/NOIR	
41487MARIN/NOIR	
41486MARIN/NOIR	
41485MARIN/NOIR	
41484MARIN/NOIR	
41483MARIN/NOIR	
41482MARIN/NOIR	