

NEUTRON

Code : 20698

Type : produit

Attribute set : COMBINAISON

Article > Product

Description

Name	NEUTRON
Reference	4149
Article designation	RISK E3 HV PG - NEUTRON Combinaison

Classification

Typology	MULTI-RISK CLOTHING
Range	PRACTICAL RANGE
Main profession	INDUSTRY
Season	All Seasons
Brand	LMA WORKWEAR
Gender	MAN
Release status	IN STOCK
Model	Coverall

Article > Product sheet

Style

Basic cut	GYPSE 4063
Length inseam	75 - 80cm
Magic hem	+ 5 cm
Tint	bicolor
Colour	YELLOW Blue
Shade	Fluorescent yellow / Navy
Open Size	T 2-T 8

Features

Matter	Majority Cotton

Copyright © LEBEURRE

Main composition	74% cotton 25% polyester 1% antistatic carbon
Main fabric weave	serge
Fabric specificities	antistatic component flame retardant fabric treated against liquid chemicals
Weight	320 g/m²
Secondary composition	100% cotton
Secondary fabric weave	serge

Finishes

Yoke	contrasting contrasting back panel on the belt inside the collar on the shoulders on pocket flaps on the bottom of the sleeves on the bottom of the legs
Topstitching	triple tone on tone
Stopping points	red contrasting
Reflective tape	full sewn 5 cm full sewn 2 cm
Piping	red on the front paw on the pocket flap(s)
Product specifications	2 detector door flanges ATEX zone protection against liquid chemicals contrasting interior collar and cuffs zero metal
Branding	left sleeve transfer ATEX zone transfer

Belt

Belt features	elasticated waistband on the side and back

Pockets

Number of pockets	5
Hands pockets	Italian
Front pocket (symmetrical)	Italian with flap
Left thigh pocket	closed with flap and hidden plastic snap button
Kneepad pocket	1 position
Right chest pocket	plated closed with flap and hidden plastic snap button
Inside left chest pocket	plated

Attributs

Collar	contrasting interior Rising
Main Zip	hidden plastic tab and snap button

Copyright © LEBEURRE

Sleeve cuffs	semi elasticated
Back	2 ease pleats

Article > Marketing

Text

Short text	High-risk coverall with knee pad pockets – RISK E3 HV PG – zero exposed metal
Marketing Summary	This RISK E3 HV PG certified multi-risk coverall offers complete protection in multi-hazard environments. Compliant with EN ISO 20471, its fluorescent color and retroreflective strips ensure your safety during the day and in low-light conditions. Designed for ATEX zones, it also protects you from liquid chemicals. Certified to EN11612, it protects you against heat and flames, and guarantees E3 level protection – the highest – against molten metal splashes. Its flame-retardant and antistatic fabric ensures your safety against major industrial hazards, including electrical hazards, allowing you to work with peace of mind in the most demanding conditions. Finally, its EN 14404+A1 compliant knee pad pockets effectively protect your knees when working on the ground.
Web Technical Details	Composition: Twill 74% cotton 25% polyester 1% antistatic carbon - 320 g/m² Multi-risk: Specially designed for ATEX zones, this coverall offers you simultaneous protection against five major hazards: it protects you against heat and flames (EN ISO 11612:2015, E3), spatter during welding and related techniques (EN ISO 11611:2015), liquid chemical substances (EN 1304:2005+A1:2009 Type 6), sparks due to electrostatic charges (EN 1149-5:2018) and thermal hazards of electric arcs (EN 61482-2:2020). Protection and safety: Its single-position, volume knee pad pockets, compliant with EN 14404+A1 standards, protect your knees during prolonged work on the ground, in conjunction with the INOX 028300 knee pad. Enhanced visibility and safety: Certified to EN ISO 20471+A1, Class 2, your safety is enhanced in hazardous environments. Its retroreflective strips increase your visibility in low-light conditions. Adjustable and comfortable: The semi-elasticated cuffs allow for a customized fit to minimize soiling. Back pleats and an elasticated waistband at the sides and back add further comfort. Functional: Its numerous pockets facilitate your daily organization: 1 right chest pocket with flap closure, hook-and-loop fastener, and concealed plastic snap button; 1 left inner chest pocket; 2 Italian hand pockets with flap closures; and 1 left thigh pocket with flap closure and concealed plastic snap button. Zero exposed metal: Designed without metal, this coverall guarantees increased safety in situations where there is a risk of electrical damage. Clever detail: Its high collar and flap closure with hidden plastic snaps ensure complete protection against the many hazards of everyday life. Two loops on the front allow you to slip in your detector. The adjustable hem can lengthen the leg by 5 cm, adapting to your height.

Article > Standards and Approvals

Standards

Oeko-tex Standard 100	No
PPE certifications	EN ISO 11611 EN ISO 11612 EN 61482-2 EN 14404 + A1 EN 1149-5 EN 13034 + A1 EN ISO 20471 + A1 EN ISO 13688 + A1
PPE protection category	3 - Fatal Risk
PPE performance level	1
PPE performance class	1 - protection contre les risques faibles (projection et chaleur faible) 3 - Visibilité maximale
PPE Performance Index	A1 B1 C1 D0 E3 F1
Number of washes	5
Maintenance tips	Ré imprégnation à chaque lavage No re-retardant treatment allowed wash and iron inside out

Copyright © LEBEURRE

Logistics

Quantity per sales unit	1
Conditioning	1

VARIANTS

CODE	LABEL
41492JAUFLMAR	
41493JAUFLMAR	
41494JAUFLMAR	
41495JAUFLMAR	
41496JAUFLMAR	
41497JAUFLMAR	
41498JAUFLMAR	

Copyright © LEBEURRE