



CESIUM

Code : 20699

Type : produit

Attribute set : BLOUSON / VESTE / PONCHOS / ENSEMBLE

Article > Product

Description

Name	CESIUM
Reference	2321
Article designation	RISK E3 HV - CESIUM Veste

Classification

Typology	MULTI-RISK CLOTHING
Range	AUTHENTIC RANGE
Main profession	INDUSTRY
Season	All Seasons
Brand	LMA WORKWEAR
Gender	MAN
Release status	IN STOCK
Model	JACKET / JACKET / PONCHOS

Article > Product sheet

Style

Basic cut	KRYPTON 2229
Tint	bicolor
Colour	YELLOW Blue
Shade	Fluorescent yellow / Navy
Open Size	T 2-T 7

Features

Matter	Majority Polyester / Polyamide
Main composition	44% modacrylic 30% cotton 20% polyamide 5% para-aramid 1% antistatic carbon
Main fabric weave	serge

Fabric specificities	antistatic component flame retardant fabric treated against liquid chemicals
Weight	320 g/m ²
Secondary composition	44% modacrylic 30% cotton 20% polyamide 5% para-aramid 1% antistatic carbon
Secondary fabric weave	ripstop

Finishes

Yoke	contrasting on the shoulders on pocket flaps on the bottom of the garment on the bottom of the sleeves on the collar
Topstitching	double
Stopping points	contrasting red
Reflective tape	full sewn 5 cm segmented iron-on 5 cm
Piping	retroreflective back red on the front paw
Product specifications	2 detector door flanges ATEX zone zero metal
Branding	ATEX zone transfer left sleeve transfer

Pockets

Number of pockets	5
Left chest pocket	bellows closed with flap and hidden plastic snap button
Right chest pocket	bellows closed with flap and hidden plastic snap button
Inside left chest pocket	plated
Low pocket	in sewing closed with flap and hidden plastic snap button

Attributs

Collar	Rising contrasting interior
Main Zip	hidden plastic tab and snap button
Sleeves	long
Sleeve cuffs	semi elasticated
Lower body	elastic on the sides
Back	2 ease pleats

Article > Marketing

Text

Short text	HV Multi-risk Jacket – RISK E3 HV – Metal-Free
------------	--

Marketing Summary	This certified multi-risk jacket RISK E3 HV provides complete and high-performance protection for professionals exposed to multiple industrial hazards. Certified EN ISO 20471, its fluorescent colour and retroreflective tapes ensure safety in daylight and low-light conditions.
Web Technical Details	Composition: Twill 44% modacrylic 30% cotton 20% polyamide 5% para-aramid 1% antistatic carbon - 320 g/m² Ripstop 44% modacrylic 30% cotton 20% polyamide 5% para-aramid 1% antistatic carbon Multi-risk: Specially designed for ATEX zones, this jacket offers simultaneous protection against six major hazards: it protects you from heat and flames (EN ISO 11612:2015, E3), welding spatter (EN ISO 11611:2015), liquid chemicals (EN 1304:2005+A1:2009 Type 6), electrostatic discharges (EN 1149-5:2018) and electric arcs (EN 61482-2:2020). Enhanced Visibility and Safety: Certified to EN ISO 20471+A1, Class 2, your safety is reinforced in hazardous environments. Its retroreflective strips increase your visibility in low-light conditions. Adjustable and Comfortable: The semi-elasticated cuffs allow for a customized fit to minimize soiling. The elasticated waist and back pleats provide added comfort. Clever Multiple Pockets: Its numerous pockets facilitate daily organization: 2 chest pockets with flap closures and concealed plastic snap buttons, 1 inside left chest pocket, and 2 lower pockets with flap closures and concealed plastic snap buttons. Metal-Free: Designed without metal, this jacket guarantees increased safety in situations where there is a risk of electrical damage. A Clever Detail: Its stand-up collar and flap closure with concealed plastic snap buttons ensure complete protection against the many hazards of everyday life. Two loops on the front allow you to attach your detector.

Article > Standards and Approvals

Standards

Oeko-tex Standard 100	No
PPE certifications	EN ISO 11612 EN ISO 11611 EN 1149-5 EN 61482-2 EN 13034 + A1 EN ISO 20471 + A1 EN ISO 13688 + A1
PPE protection category	3 - Fatal Risk
PPE performance class	1 - protection contre les risques faibles (projection et chaleur faible) 2 - Visibilité intermédiaire
PPE Performance Index	A1 B1 C1 D0 F1 E3
Number of washes	5
Maintenance tips	wash and iron inside out this garment must be kept clean to be effective. Dirty or damaged clothing should be replaced to ensure optimal use do not use fabric softener or optical brightener Ré imprégnation à chaque lavage No re-retardant treatment allowed

Article > Commerce and logistics

Logistics

Quantity per sales unit	1
-------------------------	---

Conditioning

1

VARIANTS

CODE	LABEL
23212JAUFLMAR	
23213JAUFLMAR	
23214JAUFLMAR	
23215JAUFLMAR	
23216JAUFLMAR	
23217JAUFLMAR	