

FRICTION

Code : 22594

Type : produit

Attribute set : BLOUSON / VESTE / PONCHOS / ENSEMBLE

Artikel

Beschrijving

Naam	FRICTION
Referentie	2343
Aanwijzing	WLD-C2 -FRICTION veste protection soudage

Classificatie

Typologie	MULTIRISK KLEDING
Bereik	ASSORTIMENT BASIC
Hoofdberoep	INDUSTRIE
Seizoen	All Seasons
Merk	LMA WORKWEAR
Geslacht	MAN
Vrijgavestatus	OP VOORRAAD
Model	JASSEN / VESTEN / PONCHOS

Artikel > Productblad

Stijl

Basis snede	SOUDURE 2342
Tint	Verenigd
Kleur	ZWART
Open maat	S-XXXXL

Functies

Materie	Meerderheid katoen
Belangrijkste samenstelling	99% Katoen 1% antistatik
Weven hoofdstof	satijn
Specifieke eigenschappen van	vlamvertragende stof behandeld tegen vloeibare chemicaliën

Copyright © LEBEURRE

stoffen	antistatische component
Gewicht	450 g/m²
Secundaire samenstelling	57% Kaoten 40% polyester 3% xla
Secundair weefsel	serge

Afwerkingen

Doorstikken	dubbel toon op toon
Stoppunten	contrasterend rood
Leidingen	ROOD op de voorpoot
Productkenmerken	2 detectordeurflenzen groot borstmarkeringsgebied ATEX-zone nul metaal Achternaamsticker aan de binnenkant
Markering	Borduursel met ATEX-zone op de linkermouwzak

Zakken

Aantal zakken	5
Rechterborstzak	geplateerd gesloten met klep en verborgen plastic drukknoop
Binnenkant rechterborstzak	geplateerd
Lage zakken	geplateerd gesloten met klep en verborgen plastic drukknoop
Linkermouwzak	balg gesloten door een klep met verborgen plastic drukknoop

Kenmerken

Kraag	Stijgend
Hoofdslot	Met plastic geïnjecteerde ritssluiting onder lipje met verborgen plastic druk
Mouwboorden	semi-elastisch
Kousen	elastiek aan de zijkanten

Artikel > Marketing

Tekst

Korte bewoording	Welder jacket - zero exposed metal
Marketingsamenvatting	Designed for the most exposed welding workstations, this jacket provides reliable protection during industrial welding work generating more projections. Certified EN ISO 11611:2015 and EN ISO 11612:2015, it effectively protects you against molten metal splashes, heat and flames. Its fabric, certified EN 1149-5:2018, with antistatic properties dissipates electrostatic charges, completing this protection.
Technische webdetails	Multi-risk protection: Specially designed for MMA or MIG welding work, this jacket provides simultaneous protection against three major hazards: it protects you against heat, flames and molten iron splashes (EN ISO 11612:2015, A1, A2, B1, C1, E3, F1), projections during welding and related techniques (EN ISO 11611:2015, class 2) and allows effective dissipation of electrostatic charges (EN 1149-5:2018). Adjustable and comfortable: The semi-elasticated cuffs provide a tailored fit to help reduce dirt exposure. The elasticated waistband adds extra comfort. Functional: Multiple pockets for easy daily organization: 1 chest pocket with flap, hook-and-loop fastening and concealed button, 1 inner right chest pocket and 2 lower pockets with flap and concealed button. In addition, it features a specific pocket on the sleeve designed to hold your fall detector. Zero exposed metal: Designed without any exposed metal, this jacket offers increased safety in situations exposed to electrical hazards. Smart

Copyright © LEBEURRE

	Details: Its high collar provides complete protection against the many risks of your daily work. Its 2 loops allow you to attach your detector. Its zip fastening is covered by a hook-and-loop flap, preserving sensitive surfaces. A hanger loop and a name tag inside the collar make identification easier.

Artikel > Normen en goedkeuring

Normen

Oeko-tex Standaard 100	Ja
OTS 100 certificaatnummer	1314/2
PBM certificeringen	EN ISO 11611 EN ISO 11612 EN 1149-5 EN ISO 13688 + A1
PBM-beschermingscategorie	3 - Dodelijk risico
PBM-prestatieklasse	2 - protection contre les risques plus élevés (haute projection et chaleur élevée)
PPE-prestatie-index	A1 A2 B1 C1 D0 E3 F1
Soort was	Industrieel Huiselijk
Aantal wasbeurten	5
Tips voor onderhoud	Geen hervertragende behandeling toegestaan binnenstebuiten wassen en strijken

Artikel > Logistiek en handel

Logistiek

Aantal per verkoopeenheid	1
Conditionering	20

VARIANTS

CODE	LABEL
2343SNOIR	
2343MNOIR	
2343LNOIR	
2343XLNOIR	
23432XLNOIR	
23433XLNOIR	
23434XLNOIR	

Copyright © LEBEURRE