

TRANSITION

Code : 22595

Type : produit

Attribute set : PANTALON / JEAN

Artikel

Beschrijving

Naam	TRANSITION
Referentie	1856
Aanwijzing	WLD-C2-PG - TRANSITION Pantalon protection soudage

Classificatie

Typologie	MULTIRISK KLEDING
Bereik	ASSORTIMENT BASIC
Hoofdberoep	INDUSTRIE
Seizoen	All Seasons
Merk	LMA WORKWEAR
Geslacht	MAN
Vrijgavestatus	OP VOORRAAD
Model	JEANS

Artikel > Productblad

Stijl

Basis snede	ZIRCONIUM 1711
Lengte binnenbeenlengte	75 - 80 cm
Magische zoom	+ 5 cm
Tint	Verenigd
Kleur	ZWART
Open maat	S-XXXXL

Functies

Materie	Meerderheid katoen
Belangrijkste samenstelling	99% Katoen 1% antistatik

Copyright © LEBEURRE

Specifieke eigenschappen van stoffen	antistatische component behandeld tegen vloeibare chemicaliën vlamvertragende stof
Gewicht	450 g/m²
Secundaire samenstelling	57% Kaoten 40% polyester 3% xla
Secundair weefsel	serge

Afwerkingen

Doorstikken	dubbel toon op toon
Stoppunten	contrasterend rood
Leidingen	contrasterend ROOD klepzak op de dij
Productkenmerken	ATEX-zone nul metaal Achternaamsticker aan de binnenkant
Markering	borduurwerk op de klep van de linkerdijzak

Riem

Gesloten door	4-gaats kunststof knoop Ø 15mm
Vlieg	kunststof geïnjecteerde ritssluiting
Samengesteld uit	5 lussen
Kenmerken riem	elastische tailleband aan de zijkant

Zakken

Aantal zakken	4
Handzakken	Italiaans
Linker dijbeenzak	geplateerd gesloten met klep en verborgen plastic drukknoop
Achterzak rechts	geplateerd gesloten met klep en verborgen plastic drukknoop
Kniezakken	kniezakken aan de binnenkant hoofdmateriaal 1 positie bovenbelading

Artikel > Marketing

Tekst

Korte bewoording	Welder trousers with kneepad pockets - zero exposed metal
Marketingsamenvatting	For welding work generating more projections, these trousers protect you against molten metal splashes, heat and flames, in accordance with EN ISO 11611:2015 and EN ISO 11612:2015. Certified EN 1149-5:2018, the antistatic properties of their fabric allow electrostatic charges to dissipate. Equipped with EN 14404-4 certified kneepad pockets, they protect your knees during ground work.
Technische webdetails	Multi-risk protection: Specially designed for MMA or MIG welding work, these trousers provide simultaneous protection against three major hazards: they protect you against heat, flames and molten iron splashes (EN ISO 11612:2015, A1, A2, B1, C1, E3, F1), projections during welding and related techniques (EN ISO 11611:2015, class 2) and allow effective dissipation of electrostatic charges (EN 1149-5:2018). Protection and durability: Its inner single-position kneepad pockets, certified EN 14404-4, protect your knees during prolonged ground work. Their top-loading design allows quick and easy insertion of the 99159 SHIELD knee pad. Functional: Multiple pockets for easy daily organization: 2 Italian hand pockets, 1 left thigh pocket with flap and concealed press-stud fastening and 1 right back

Copyright © LEBEURRE

	pocket with flap and concealed press-stud fastening. Support and Stability: Its elasticated waistband on the sides, adjustable with an elastic and inner button, ensures an optimal fit to your body shape, whether you are a man or a woman. Its 5 belt loops keep the belt stable during position changes. Zero exposed metal: Designed without any exposed metal, these trousers offer increased safety in situations exposed to electrical hazards. Smart Detail: The magic hem can extend the leg length by 5 cm, adapting to your size.

Artikel > Normen en goedkeuring

Normen

Oeko-tex Standaard 100	Ja
OTS 100 certificaatnummer	1314/2
PBM certificeringen	EN 1149-5 EN ISO 11611 EN ISO 11612 EN 14404-4 EN ISO 13688 + A1
PBM-beschermingscategorie	3 - Dodelijk risico
PBM-prestatieklasse	2 - protection contre les risques plus élevés (haute projection et chaleur élevée)
PPE-prestatie-index	A1 A2 B1 C1 D0 E3 F1
Soort was	Huiselijk Industrieel
Aantal wasbeurten	5
Tips voor onderhoud	Geen hervertragende behandeling toegestaan binnenstebuiten wassen en strijken Verwijder de kniebeschermers vóór het wassen

Artikel > Logistiek en handel

Logistiek

Aantal per verkoopeenheid	1
Conditionering	20

VARIANTS

CODE	LABEL
1856SNOIR	
1856MNOIR	
1856LNOIR	
1856XLNOIR	
18562XLNOIR	
18563XLNOIR	
18564XLNOIR	

Copyright © LEBEURRE