



WALTER

Code : 22744

Type : produit

Attribute set : COMBINAISON

Article > Product

Description

Name	WALTER
Reference	4164
Article designation	SAFETY E2 VA PG-WALTER Comb protection multirisque

Classification

Typology	MULTI-RISK CLOTHING
Range	BASIC RANGE
Main profession	INDUSTRY
Season	All Seasons
Brand	LMA WORKWEAR
Gender	MAN
Release status	New Permanents followed
Model	Coverall

Article > Product sheet

Style

Basic cut	WALTER
Length inseam	75 cm
Magic hem	+ 5 cm
Tint	solid
Colour	Blue
Shade	Marine
Open Size	S-XXXXL

Features

Matter	Majority Cotton
Main composition	75% cotton 24% polyester 1% antistatic

Fabric specificities	antistatic component flame retardant fabric treated against liquid chemicals
Weight	260 g/m ²
Secondary fabric weave	satin

Finishes

Yoke	in front on the shoulders
Topstitching	double
Stopping points	red tone on tone
Reflective tape	in front of back full sewn 5 cm
Piping	red on the front paw on the pocket flap(s)
Product specifications	coat rack clip 2 detector door flanges ATEX zone zero metal protection against liquid chemicals Interior brand sticker red contrasting elements fall detector pocket (PTI)
Branding	ATEX zone embroidery on left sleeve pocket

Belt

Belt features	elasticated waistband on the side and back
---------------	--

Pockets

Number of pockets	multi-pocket
Hands pockets	Italian
Right thigh pocket	plated closed with flap and hidden plastic snap button
Right back pocket	plated closed with flap and hidden plastic snap button
Kneepad pocket	1 position main material
Right chest pocket	plated closed with flap and hidden plastic snap button
Left sleeve pocket	plated closed by a flap with hidden plastic snap

Attributs

Collar	amount closed by injected zip
Main Zip	plastic injected zip under tab with hidden plastic pressure
Sleeve cuffs	semi elasticated

Article > Marketing

Text

Short text	Multi-risk coverall with enhanced visibility and kneepad pockets – RISK E2 VA PG - metal free
Marketing Summary	This multi-risk coverall, compliant with RISK E2 VA PG standards, offers complete protection in multi-hazard environments. Designed for ATEX zones, it effectively protects you from liquid chemicals, molten metal splashes, heat, and flames. Its flame-retardant and antistatic fabric guarantees your safety against major industrial hazards, allowing you to work with peace of mind in the most demanding conditions. Finally, its EN 14404+A1 compliant kneepad pockets effectively protect your knees when working on the ground.
Web Technical Details	Composition: 75% cotton, 24% polyester, 1% antistatic twill - 260 g/m² Multi-risk: Specially designed for ATEX zones, this coverall offers simultaneous protection against five major hazards: it protects you against heat and flames (EN ISO 11612:2015, E2), spatter during welding and related techniques (EN ISO 11611:2015), liquid chemicals (EN 1304:2005+A1:2009 Type 6), sparks due to electrostatic charges (EN 1149-5:2018), and thermal hazards from electric arcs (EN 61482-2:2020). Protection and safety: Its internal one-position kneepad pockets, compliant with EN 14404+A1, protect your knees during prolonged work on the ground. Their top-loading design allows for quick and easy donning of the INOX 028300 kneepad. Enhanced visibility: Certified to EN ISO 17353:2020, its retroreflective strips increase your visibility in low-light conditions. Adjustable and comfortable: The semi-elasticated cuffs allow for a customized fit to minimize soiling. The elasticated waistband adds further comfort. Support and stability: The elasticated waistband at the sides ensures a comfortable fit. Five belt loops stabilize the waistband during changes in position. Functional: Its numerous pockets facilitate daily organization: one chest pocket with a flap and button closure, two side pockets, one left thigh pocket with a flap and button closure, and one right back pocket with a flap and button closure. Industrial laundering: Compliant with EN 15797, it withstands the recommended intensive professional washing cycles. Metal-free: Designed without metal, this coverall guarantees increased safety in situations where there is a risk of electrical damage. Smart detail: The adjustable hem can lengthen the leg by 2 inches, adapting to your height. Its double zipper offers optimal convenience during breaks, without having to remove the entire garment. Its high collar provides complete protection against the many hazards of your daily work. Two loops on the front allow you to attach your detector. The zipper is covered by a flap with hook-and-loop fasteners, protecting sensitive surfaces.

Article > Standards and Approvals

Standards

Oeko-tex Standard 100	Yes
OTS 100 certificate number	1314/2
PPE certifications	EN 1149-5 EN 13034 + A1 EN 61482-2 EN ISO 11611 EN ISO 11612 EN ISO 13688 + A1 EN 14404 + A1 EN 17353
PPE protection category	3 - Fatal Risk
PPE performance level	0
PPE performance class	1 - protection contre les risques faibles (projection et chaleur faible)
PPE Performance Index	A1 B1 C1 D0 E2 F1
Type of PPE protection	B3
Wash type	Domestic Industrial
Number of washes	5
Maintenance tips	Ré imprégnation à chaque lavage No re-retardant treatment allowed this garment must be kept clean to be effective. Dirty or damaged clothing should be replaced to ensure optimal use wash and iron inside out

do not use fabric softener or optical brightener
Remove knee pads before washing

Article > Commerce and logistics

Logistics

Quantity per sales unit	1
Conditioning	1

VARIANTS

CODE	LABEL
41642XLBLEU F	
4164SBLEU F	
41643XLBLEU F	
4164MBLEU F	
41644XLBLEU F	
4164LBLEU F	
4164XLBLEU F	