



OLIVER

Code : 22745

Type : produit

Attribute set : BLOUSON / VESTE / PONCHOS / ENSEMBLE

Article > Product

Description

Name	OLIVER
Reference	2347
Article designation	SAFETY E2 - OLIVER Veste protection multirisque

Classification

Typology	MULTI-RISK CLOTHING
Range	BASIC RANGE
Main profession	INDUSTRY
Season	All Seasons
Brand	LMA WORKWEAR
Gender	MAN
Release status	New Permanents followed
Model	JACKET / JACKET / PONCHOS

Article > Product sheet

Style

Basic cut	OLIVER
Tint	solid
Colour	Blue
Shade	Marine
Open Size	S-XXXXL

Features

Matter	Majority Cotton
Main composition	75% cotton 24% polyester 1% antistatic
Main fabric weave	serge
Fabric specificities	antistatic component

	flame retardant fabric treated against liquid chemicals
Weight	260 g/m ²
Secondary composition	79% cotton 20% polyester 1% antistatic
Secondary fabric weave	satin

Finishes

Yoke	in front on the shoulders in main subject
Topstitching	tone on tone
Stopping points	red tone on tone
Piping	red on the front paw
Product specifications	coat rack clip 2 detector door flanges protection against liquid chemicals ATEX zone Interior brand sticker zero metal red contrasting elements fall detector pocket (PTI)
Branding	ATEX zone embroidery on left sleeve pocket

Pockets

Number of pockets	5
Right chest pocket	closed with flap and plastic snap button plated
Inside right chest pocket	plated
Low pocket	closed with flap and hidden plastic snap button
Left sleeve pocket	plated closed by a flap with hidden plastic snap

Attributs

Collar	Rising amount closed by injected zip
Main Zip	plastic slider plastic injected zip under tab with hidden plastic pressure
Sleeves	long
Sleeve cuffs	semi elasticated
Lower body	elastic on the sides

Article > Marketing

Text

Short text	Multi-risk jacket – RISK E2 – zero exposed metal
Marketing Summary	This ATEX E2 certified multi-risk jacket provides optimal protection in multi-hazard environments. Specifically developed for ATEX zones, it effectively defends you against liquid chemicals, molten metal splashes, heat, and flames. Thanks to its flame-retardant and antistatic fabric, it addresses major industrial hazards and allows you to work safely in the most demanding conditions.

Web Technical Details

Composition: 75% cotton, 24% polyester, 1% antistatic twill - 260 g/m² Multi-risk: Specially designed for ATEX zones, this jacket offers simultaneous protection against five major hazards: it protects against heat and flames (EN ISO 11612:2015, E2), spatter during welding and related techniques (EN ISO 11611:2015), liquid chemicals (EN 1304:2005+A1:2009 Type 6), sparks due to electrostatic charges (EN 1149-5:2018), and thermal hazards from electric arcs (EN 61482-2:2020). Adjustable and comfortable: The semi-elasticated cuffs allow for a customized fit to minimize soiling. The elasticated waist adds further comfort. Functional: Its numerous pockets facilitate your daily organization: 1 chest pocket with flap, hook-and-loop closure, and button; 1 right-side interior chest pocket; and 2 lower pockets with flap and button closures. It also features a dedicated pocket for your fall detector. Industrial washing: Compliant with EN 15797, it withstands the recommended intensive professional washing cycles. Zero exposed metal: Designed without metal, this jacket guarantees increased safety in situations where there is a risk of electrical damage. Clever detail: Its high collar protects you from wind and cold. Two loops allow you to slip in your fall detector. The zipper is covered by a flap with hook-and-loop closure, protecting sensitive surfaces. A coat hook and a name tag in the collar facilitate identification.

Article > Standards and Approvals

Standards

Oeko-tex Standard 100	Yes
OTS 100 certificate number	1314/2
PPE certifications	EN 1149-5 EN 13034 + A1 EN 61482-2 EN ISO 11611 EN ISO 11612 EN ISO 13688 + A1
PPE protection category	3 - Fatal Risk
PPE performance class	1 - protection contre les risques faibles (projection et chaleur faible)
PPE Performance Index	A1 B1 C1 D0 E2 F1
Wash type	Domestic Industrial
Number of washes	5
Maintenance tips	Ré imprégnation à chaque lavage No re-retardant treatment allowed this garment must be kept clean to be effective. Dirty or damaged clothing should be replaced to ensure optimal use wash and iron inside out do not use fabric softener or optical brightener

Article > Commerce and logistics

Logistics

Quantity per sales unit	1
Conditioning	1

VARIANTS

CODE	LABEL
2347SBLEU F	
2347MBLEU F	

2347LBLEU F

2347XLBLEU F

23472XLBLEU F

23473XLBLEU F

23474XLBLEU F